



- L1: (187372) print\$3 near3 (device or apparatus or unit)
- L2: (178) 1 and (deteriorat\$3 near8 sett\$3)
- L3: (2) 2 and "print information"
- L4: (5) 2 and "print setting"
- L5: (35) 2 and (print\$3 near5 information)
- L6: (9) 5 and (image near3 compress\$3)
- L7: (2) 6 and (degree near8 deterioration)
- L8: (72421) "347"/\$.ccls. or "358"/\$.ccls.
- L9: (17242) 8 and (print\$3 near5 information)
- L10: (4079) 9 and (print\$3 near5 setting)
- L11: (671) 10 and (image near3 compress\$3)
- L12: (4) 11 and (degree near8 deterioration)
- L13: (1) 12 and (deteriorat\$3 near8 excess\$3)
- L14: (1) 12 and (deteriorat\$3 near8 threshold)
- L15: (1) 11 and (deteriorat\$3 near8 threshold)
- L16: (3) 10 and (deteriorat\$3 near8 threshold)
- L17: (4) 2 and (deteriorat\$3 near8 threshold)
- L18: (2) (("5835122") or ("6028676")).PN.
- L19: (1) 7 and threshold
- L20: (2) 6 and threshold
- L21: (2) 20 and deteriorat\$3

Failed

Saved

DBs: US:PGPUB;USPAT;EPO

☒ Stubs

Default operator: OR

☒ Highlight all hit terms initially

20 and deteriorat\$3

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current	Ref	Inventor
1	<input type="checkbox"/>	<input type="checkbox"/>	US 20040085567 A1	20040506	17	Printing apparatus, print control method, and program	358/1.14			Isshiki, Naohiro
2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6873711 B1	20050329	56	Image processing device, image processing method, and	382/100	348/32; 358/2.1		Murakami, Tomochika et al.

Ready

NUM

EAST - [10588961.wsp:1]

File View Edit Tools Window Help

☐ Drafts
☐ Pending
☒ Active

- L1: (187372) print\$3 near3 (device or apparatus or unit)
- L2: (178) 1 and (deteriorat\$3 near8 sett\$3)
- L3: (2) 2 and "print information"
- L4: (5) 2 and "print setting"
- L5: (35) 2 and (print\$3 near5 information)
- L6: (9) 5 and (image near3 compress\$3)
- L7: (2) 6 and (degree near8 deterioration)
- L8: (72421) "347"/\$.ccls. or "358"/\$.ccls.
- L9: (17242) 8 and (print\$3 near5 information)
- L10: (4079) 9 and (print\$3 near5 setting)
- L11: (671) 10 and (image near3 compress\$3)
- L12: (4) 11 and (degree near8 deterioration)
- L13: (1) 12 and (deteriorat\$3 near8 excess\$3)
- L14: (1) 12 and (deteriorat\$3 near8 threshold)
- L15: (1) 11 and (deteriorat\$3 near8 threshold)
- L16: (3) 10 and (deteriorat\$3 near8 threshold)

☐ Failed
☐ Saved
☐ Favorites

Search List Browse Queue Clear
 DBs US-PGPUB:USPAT:EPO ☒ Plurals
 Default operator: OR ☒ Highlight all hit terms initially

10 and (deteriorat\$3 near8 threshold)

BRS form IS&R form Image Text HTML

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current	Ret	Inventor
1	<input type="checkbox"/>	<input type="checkbox"/>	US 20040085567 A1	20040506	17	Printing apparatus, print control method, and program	358/1.14			Isshiki, Naohiro
2	<input type="checkbox"/>	<input type="checkbox"/>	US 20030179255 A1	20030925	31	Ink jet printing method and ink jet printing apparatus	347/14			Mizutani, Michinari et al.
3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6769755 B2	20040803	30	Ink jet printing method and ink jet printing apparatus	347/14	347/17; 347/19		Mizutani, Michinari et al.

☒ Hits
 ☒ Details
 ☒ HTML

Ready

NUM

☐ Pending

☒ Active

- L1: (187372) print\$3 near3 (device or apparatus or unit)
- L2: (178) 1 and (deteriorat\$3 near8 sett\$3)
- L3: (2) 2 and "print information"
- L4: (5) 2 and "print setting"
- L5: (35) 2 and (print\$3 near5 information)
- L6: (9) 5 and (image near3 compress\$3)
- L7: (2) 6 and (degree near8 deterioration)
- L8: (72421) "347"/\$.ccls. or "358"/\$.ccls.
- L9: (17242) 8 and (print\$3 near5 information)
- L10: (4079) 9 and (print\$3 near5 setting)
- L11: (671) 10 and (image near3 compress\$3)
- L12: (4) 11 and (degree near8 deterioration)
- L13: (1) 12 and (deteriorat\$3 near8 excess\$3)
- L14: (1) 12 and (deteriorat\$3 near8 threshold)

Failed

 Saved


Favorites

Tagged (6)

UDC

 BRS form
 IS&R form
 Image
 Text
 HTML

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current	Ret	Inventor
1	<input type="checkbox"/>	<input type="checkbox"/>	US 20040085567 A1	20040506	17	Printing apparatus, print control method, and program	358/1.14			Isshiki, Naohiro

[illegible]

EAST - [10688961.wsp:1]

File View Edit Tools Window Help

☐ Drafts
☐ Pending
☒ Active

- L1: (187372) print\$3 near3 (device or apparatus or unit)
- L2: (178) 1 and (deteriorat\$3 near8 sett\$3)
- L3: (2) 2 and "print information"
- L4: (5) 2 and "print setting"
- L5: (35) 2 and (print\$3 near5 information)
- L6: (9) 5 and (image near3 compress\$3)
- L7: (2) 6 and (degree near8 deterioration)
- L8: (72421) "347"/\$.ccls. or "358"/\$.ccls.
- L9: (17242) 8 and (print\$3 near5 information)
- L10: (4079) 9 and (print\$3 near5 setting)
- L11: (671) 10 and (image near3 compress\$3)
- L12: (4) 11 and (degree near8 deterioration)

☐ Failed
☐ Saved
☐ Favorites
☒ Tagged (6)

Search List Browse Queue Clear
 DBs US-PGPUB: USPAT: EPO ☒ Plurals
 Default operator: OR ☒ Highlight all hit terms initially

11 and (degree near8 deterioration)

☒ BRS form ☒ IS&R form ☒ Image ☒ Text ☒ HTML

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current Ret	Inventor
1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20040184067 A1	20040923	31	Image forming system	358/1.15	358/1.17	Suzuki, Yuusuke
2	<input type="checkbox"/>	<input type="checkbox"/>	US 20040085567 A1	20040506	17	Printing apparatus, print control method, and program	358/1.14		Isshiki, Naohiro
3	<input type="checkbox"/>	<input type="checkbox"/>	US 20040017583 A1	20040129	33	Document processing method	358/1.15	358/1.16	Kageyana, Seiji et al.
4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6567180 B1	20030520	35	Document printing method	358/1.15	358/1.13; 358/1.14	Kageyana, Seiji et al.

☒ Hits ☒ Details ☒ HTML

Ready

EAST - [10688961.wsp:1]

File

View

Edit

Tools

Window

Help

Drafts

Pending

Active

L1: (187372) print\$3 near3 (device or apparatus or unit)

L2: (178) 1 and (deteriorat\$3 near8 sett\$3)

L3: (2) 2 and "print information"

L4: (5) 2 and "print setting"

L5: (35) 2 and (print\$3 near5 information)

L6: (9) 5 and (image near3 compress\$3)

L7: (2) 6 and (degree near8 deterioration)

Failed

Saved

Favorites

Tagged (4)

UDC

Queue

Trash

Search

List

Browse

Queue

Clear

DBs

US-PGPUB: USPAT: EPO

Plurals

Default operator:

OR

Highlight all hit terms initially

6 and (degree near8 deterioration)

BRS form

IS&R form

Image

Text

HTML

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current	Ret	Inventor
1	<input type="checkbox"/>	<input type="checkbox"/>	US 20040085567 A1	20040506	17	Printing apparatus, print control method, and program	358/1.14			Isshiki, Naohiro
2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20010008417 A1	20010719	14	Image processing method, image processing apparatus, c	348/207.99			Kinjo, Naoto

Hits

Details

HTML

Ready

NUM